


Cable extension with 5 sockets 2P+E,16A
250V~With light switch. 1.5m of cable H05VV-F
3G1,5mm². +USB A+USBC

Cable extension with 5 sockets 2P+E, 16A 250V~. MAX. 3680W. 850°C GWT. With light switch. With 1 USB type A & 1 USB type C. 1,5 m cable H05VV-F 3G1,5mm². White colour. With holes for fixing by screws to the wall and orifice for fixing by means of flanges to tubes. Made of Polycarbonate. Serie ION.

Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Type	Multiple base
No. of bases	5
Basic characteristics	2P+E, 16A 250V~
Cable length	1,5 m.
Maximum power	3.680 W
No. of USB sockets	2
USB Features	Type A & C (2,1A 5Vdc)
Light switch	Yes
Cable	Yes
Cable Features	H05VV-F 3G1,5mm²
Terminal system	Screw connection
Mini trunking input	Yes, for 7x12, 10x16, 10x20 and 12x12
Possibility of using hanger	Yes
Possibility of using KIT-DIN35	Yes
Wall fixing holes	Yes

Technical data

Protection Degree (IP)	IP20
Fire resistance (GWEPT)	850 °C

Heat resistance (Ball pressure)	125 °C
Ambient operating temperature	-5 °C ; +60 °C
Free of halogens	Yes

Regulations

CE marking	Yes
According to Regulations UNE/EN	UNE-20315-1-1:2017; UNE-20315-1-2:2017
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)
According to European Directive 2012/19/UE (RAEE2)	Yes

Logistics and packaging

Unit EAN code	8423220250604
EAN code container	8423220250604
EAN code packaging	18423220250601
Units packaging	1
Units carton	28
Tariff code	85366990

Sketch





Documentation and downloads



[Assembly instructions \(1.1MB\)](#)



[Commercial doc. \(0.74MB\)](#)



[ION: multipoint sockets \(Solera\)](#)