

Industrial distribution box of 11 modules.
Swimming pool control panel

Cuadro para control de piscinas. Con programador horario semanal digital. Con contactor. Protecciones: Guardamotor de 4 a 6,3A, diferencial 2P 40A 30mA, protección magnetotérmica 1P+N16A y 1P+N 10A . Con transformador para iluminación de 12V- 105 VA. Conmutador selector de 3 posiciones (I-O-Automático). Dimensiones 270 x 250 x 160 mm Grado de protección: IP65. Grado de protección contra impactos: IK08. Tornillos inoxidable de cierre ultra rápido. Conexiones realizadas con punteras. Según normativa UNE EN 61439-1 y 3. . Incluye declaración de conformidad y dossier técnico.
Common applications: Domestic / tertiary outdoor environment (garden, swimming pool, parking, public road, etc.)



Features

Enclosure type	Distribution
Installation method	Surface
Use	Domestic / Tertiary
Location type	Exterior and interior
No. Modules (18 mm)	11
Modules per row	11
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	270x250x160
Case material	Insulation
Case color	Grey (RAL7035)
Cap color	Grey (RAL 7035)
Door color	Fume
Door opening	Vertical
Battens included	Yes (Screw terminals)
Strip type	Ground
No. of terminals and size	12x6 mm2 + 2x16 mm2

Ticket type	With centricity points.
Fixation System (For surface)	Exterior
Sealable	Yes
Linkable	Vertically and horizontally
Lid closure system	Ultra-fast metal screw
Door closing system	Handle
Possibility of putting lock	Key
Possibility of mounting DIN rail	Yes (included)

Technical data

Protection Degree (IP)	IP65
Protection Degree (IK)	IK08
Impact shock resistance	Strong
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
UV resistance	Yes
Free of halogens	Yes
Suitable for saline environments	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations	UNE-EN 62208: 2012
According to Regulations UNE/EN	UNE-EN 61439-1: 2012 UNE-EN 61439-3: 2012
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	The box does not correspond to the definition of Electrical and Electronical Equipment (EEE), but the included devices are affected individually.
According to European Directive 2012/19/UE (RAEE2)	The box does not correspond to the definition of Electrical and Electronical Equipment (EEE), but the included devices are affected individually.

Logistics and packaging

Unit EAN code	8423220231269
EAN code container	8423220231269
EAN code packaging	18423220231266
Units packaging	1
Units carton	1
Pallet Units	50
Packaging Measurements cm	27,5x17,5x25,5
Packaging Measures cm	10,2x12x14
Unit weight (g)	4110
Container Weight (Kg)	4,32
Packaging Weight (Kg)	4,93
Tariff code	85371098

Sketch



Documentation and downloads

-  [Assembly instructions \(2.01MB\)](#)
-  [Commercial doc. \(6.32MB\)](#)
-  [Commercial doc. \(20.32MB\)](#)
-  [Industrial cabinets IP65, IK08 \(Solera\) \(Ed. 2024\)](#)