5505REJ

Frame and door for connection box.



Frame and door for connection box.White thermoplastic material. For replacement in refs .5504/2, 5508/2 and 5560/2.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Features

Use	Domestic / Tertiary
Location type	Inside
Frame and door material	Insulation
Door color	White with heat dissipation grid.
Door opening	Horizontal
Door closing system	Handle
Possibility of putting lock	Key

Technical data

Impact shock resistance	Medium
Fire resistance (GWEPT)	650 ºC
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220205215
EAN code container	8423220205215
EAN code packaging	18423220205212
Units packaging	1
Units carton	12
Pallet Units	180
Packaging Measures cm	59,5x59,5x39,5
Unit weight (g)	845
Container Weight (Kg)	0,86
Packaging Weight (Kg)	11,43
Tariff code	73269098

Sketch

5505REJ



Documentation and downloads

Series replenishments (0.06MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com