5508_2B

Network termination box 725 x 543 x 115 mm. Surface. With mounting plate for active and passive telecommunications modules. With 35 mm DIN rail. With 2 sockets 2P+E, 16A 250V ~.

Network termination box 725 x 543 x 115 mm. Surface. With mounting plate for active and passive telecommunications modules. With 35 mm DIN rail. With 2 sockets 2P+E, 16A 250V ~. .White colour. With frame and door with heat dissipation grid. Linkable horizontally and vertically. With Ø 50 mm tubes for connection between boxes. With internal partition.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Enclosure type	IT boxes
Installation method	Surface
Use	Domestic / Tertiary
Location type	Inside
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	725x543x115
Case material	Insulation
Frame and door material	Insulation
Case color	Black
Door color	White
Door opening	Horizontal
Battens included	No
Ticket type	Unfathomable
Fixation System (For surface)	Inside
Linkable	Vertically and horizontally
Door closing system	A Pressure

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Reversible door	Yes
Possibility of mounting strips	Yes (not included)
Possibility of mounting DIN rail	Yes (included)
Possibility of mounting .PL-MP28 plate	Yes (included)

Technical data

Protection Degree (IP)	IP40
Protection Degree (IK)	IK08
Impact shock resistance	Medium
Insulation class	Class II
Fire resistance (GWEPT)	650 ºC
Heat resistance (Ball pressure)	70 ºC
Installation temperature	-5 ºC -> +60 ºC
Work stress	400 Vca
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-22:2007 UNE-EN 62208:2012
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	The box does not correspond to the definition of Electrical and Electronical Equipment (EEE), but the included devices are affected individually.
According to European Directive 2012/19/UE (RAEE2)	The box does not correspond to the definition of Electrical and Electronical Equipment (EEE), but the included devices are affected individually.

Logistics and packaging

Unit EAN code	8423220218949
EAN code container	8423220218949
EAN code packaging	18423220218946
Units packaging	1
Units carton	2
Pallet Units	30
Packaging Measurements cm	54,6x11,8x36,4
Packaging Measures cm	57,8x46x38,5
Unit weight (g)	2103
Container Weight (Kg)	2,42
Packaging Weight (Kg)	5,82
Tariff code	73269098

Sketch



Documentation and downloads

5508_2B

Assembly instructions (5.08MB)

Series replenishments (0.06MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com