5504-IT

Network termination box. Flush. Empty box. Flush dimensions 300 x 500 x 85 mm



Network termination box. Flush. Empty box. Flush dimensions 300 x 500 x 85 mm. With frame and door with heat dissipation grid. Linkable horizontally and vertically. With internal partition.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Features

Enclosure type	IT boxes
Installation method	Flush in work
Use	Domestic / Tertiary
Location type	Inside
Modules per row	16
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	362x544x26
Dimensions gap (mm) (Width x Height x Depth)	360x528x85
Case material	Insulation
Frame and door material	Insulation
Case color	Black
Door color	White with heat dissipation grid.
Door opening	Horizontal
Battens included	No
Ticket type	Unfathomable
Sealable	Not
Linkable	Vertically and horizontally

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Door closing system	A Pressure
Reversible door	Yes
Possibility of mounting strips	Yes (not included)
Possibility of putting lock	Key
Possibility of mounting DIN rail	Yes (included)
Possibility of mounting .PL-MP28 plate	Yes (included)

Technical data

Protection Degree (IP)	IP40
Protection Degree (IK)	IK07
Insulation class	Class II
Fire resistance (GWEPT)	650 ºC
Heat resistance (Ball pressure)	70 ºC
Installation temperature	-5 ºC -> +60 ºC
Work stress	400 Vca
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220084506
EAN code container	8423220084506
EAN code packaging	18423220084503
Units packaging	1
Units carton	4
Pallet Units	60
Packaging Measures cm	57,8x46x38,5
Unit weight (g)	2085
Container Weight (Kg)	2,09
Packaging Weight (Kg)	9,13
Tariff code	85371098

Sketch

