
ERP72NU

Horizontal frame for 2 mechanisms. Black frame and pearl ring.

Horizontal frame for 2 mechanisms. Black frame and pearl ring.Dimensions 154 x 81 x 10 mm.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Mechanism type	Frame
Type of installation	Flush
Dimensions	154 x 81 x 10
Frame color	Black + Pearl
Position	Horizontal
No. of elements	For 2 Elements

Technical data

Fire resistance (GWEPT)	850 ºC
Heat resistance (Ball pressure)	125 ºC
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-22:2007
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com


Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220076877
EAN code container	8423220077232
EAN code packaging	18423220077239
Units packaging	10
Units carton	120
Pallet Units	5400
Packaging Measurements cm	17x10x12
Packaging Measures cm	38x42x18,5
Unit weight (g)	33
Container Weight (Kg)	0,42
Packaging Weight (Kg)	5,62
Tariff code	85366990

Sketch



Documentation and downloads

Assembly flush switches form Europa range (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com