

RJ45 data collection. Category 6. Surface.

RJ45 data collection. Category 6. Surface.White colour. Dimensions 74 x 72 x 28 mm. Inputs for 10x16, 10x20 and 16x16 mm mini-trunking.
Common applications: Severe industrial environments (Mines, quarries, railways, tunnels, etc.)



Features

Mechanism type	RJ45 data capture. Cat 6
Pilot light	Yes
Connection type	Screw connection
Mini trunking input	Yes
Dimensions	74 x 72 x 28
Monobloc (with frame included)	Yes
Frame color	White

Technical data

Protection Degree (IP)	IP40
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 50173-1:2018
According to REBT	Yes

According to European Directive 2014/35 / EU. Low voltage directive	Yes
---	-----


Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)
According to European Directive 2012/19/UE (RAEE2)	Yes

Logistics and packaging

Unit EAN code	8423220227521
EAN code container	8423220227514
EAN code packaging	18423220227511
Units packaging	10
Units carton	120
Pallet Units	5760
Packaging Measurements cm	16x8x18
Packaging Measures cm	49,5x34x19
Unit weight (g)	64
Container Weight (Kg)	0,77
Packaging Weight (Kg)	9,82
Tariff code	85366990

Sketch



Documentation and downloads

- | | | | |
|--|--|---|---|
|  | Assembly instructions (0.58MB) |  | Commercial doc. (2.65MB) |
|  | Mechanism scheme table (0.85MB) |  | Surface switches Mural range (Solera) |
|  | Assembly surface switches Mural range (Solera) | | |